



**CMB**

MAKE YOUR WORK EASY

DEMOLITION  
RECYCLING  
FORESTRY

# FH SERIES

ROTATING PULVERIZER  
FRANTUMATORE GIREVOLE  
BROYEUR ROTATIF  
DREHBARER PULVERISIERER  
TRITURADOR GIRATORIO

**HARDOX**  
IN MY BODY  
Taking quality to the next level!

MY INNER  
**STRENX**  
A sign of excellent performance



- ◆ **BUILT IN HARDOX E STRENX**  
COSTRUITO IN HARDOX AND STRENX
- ◆ **INTERCHANGEABLE THEETH**  
DENTI INTERCAMBIABILI
- ◆ **360° CONTINUOUS HYDRAULIC ROTATION**  
ROTAZIONE IDRAULICA A 360°
- ◆ **SPEED VALVE**  
VALVOLA DI VELOCITÀ

FH series		FH 08	FH 11	FH 16	FH 21	FH 26	FH 35	FH 50	FH 80
<b>ATTACHMENT WEIGHT</b>	kg	650	1050	1750	2230	2850	3800	5000	8000
<b>EXCAVATOR WEIGHT</b>	ton	6 - 10	10 - 17	16 - 22	22 - 30	28 - 33	33 - 53	49 - 70	70 - 110
<b>OPENING</b>	mm	540	660	700	820	940	1000	1150	1530
<b>FORCE</b>	ton	75	145	210	240	300	315	400	550
<b>SPEED VALVE</b>		OPT	OPT	YES	YES	YES	YES	YES	YES



I dati tecnici possono subire modifiche senza obbligo di preavviso e senza che ciò comporti responsabilità alcuna da parte di CMB SRL. The technical data may be changed without prior notice and without this implying any responsibility on the part of CMB SRL. Les données techniques peuvent être modifiées sans préavis et sans que cela engage la responsabilité de CMB SRL. Los datos técnicos pueden modificarse sin previo aviso y sin que esto implique ninguna responsabilidad por parte de CMB SRL.

# CCE SERIES

PRIMARY DEMOLITION CRUSHER  
PINZA DA DEMOLIZIONE PRIMARIA  
PINCE À BÉTON  
ABBRUCHZANGE  
PINZA DE DEMOLICIÓN



- ◆ **BUILT IN HARDOX AND STRENX**  
COSTRUITO IN HARDOX E STRENX
- ◆ **INTERCHANGEABLE TEETH**  
DENTI INTECAMBIABILI
- ◆ **HIGH CLAMPING FORCE ON THE TIP/TEETH**  
ALTISSIMA FORZA CONCENTRATA SULLE PUNTE/DENTI
- ◆ **SPEED VALVE**  
VALVOLA DI VELOCITÀ

CCE series		* CC03E	CC05E	CC10E	CC15E	CC20E	CC25E	*CC40E	*CC50E	* CC60E
<b>ATTACHMENT WEIGHT</b>	kg	260	560	1050	1560	2030	2975	4100	4900	6000
<b>EXCAVATOR WEIGHT</b>	ton	3-5	6 - 9	10 - 15	16 - 21	22 - 28	28 - 40	40 - 55	50 - 65	65 - 85
<b>OPENING</b>	mm	415	510	710	860	970	1105	1250	1500	1700
<b>F1</b>	ton	77	100	150	230	240	360	430	500	660
<b>SPEED VALVE</b>		OPT	OPT	OPT	OPT	✓	✓	✓		✓

# FF SERIES

FIXED PULVERIZER  
FRANTUMATORE FISSO  
BROYEUR FIXE  
STARRER PULVERISIERER  
TRITURADOR FIJO





- ◆ **BUILT IN HARDOX AND STRENX**  
COSTRUITO IN HARDOX E STRENX
- ◆ **INTERCHANGEABLE BOLTED PLATE**  
PUNTALE INTECAMBIABILE
- ◆ **INTERCHANGEABLE TEETH**  
DENTI INTERCAMBIABILI
- ◆ **SPEED VALVE**  
VALVOLA DI VELOCITÀ

FF series		FF07	FF12	FF18	FF22	FF30	FF40
<b>ATTACHMENT WEIGHT</b>	kg	750	1340	1800	2200	3200	4200
<b>EXCAVATOR WEIGHT</b>	ton	8 - 12	11 - 18	18 - 25	21 - 30	33 - 45	41 - 50
<b>OPENING</b>	mm	550	670	820	850	1050	1150
<b>BLADE</b>	mm	120	195	195	195	195	300
<b>FORCE</b>	ton	110	170	185	215	310	380
<b>SPEED VALVE</b>		OPT	OPT	OPT	YES	YES	YES

# SME SERIES

SORTING GRAB  
 PINZA SELEZIONATRICE  
 PINCE DE TRI  
 ABBRUCHGREIFER  
 PINZA DE SELECCIÓN



- ◆ **BUILT IN HARDOX AND STRENX**  
COSTRUITO IN HARDOX E STRENX
- ◆ **HIGH CLAMPING FORCE**  
GRANDE FORZA DI SERRAGGIO
- ◆ **2 MOTORS AND 2 CYLINDERS STARTING FROM SM130**  
2 MOTORI E 2 CILINDRI A PARTIRE DA SM130
- ◆ **HARDENED PINS AND BUSHINGS**  
PERNI TEMPRATI E BOCCOLE IN ACCIAIO

SME series		SM30E	SM50	SM80	SM95	SM130	SM160	SM200	SM300	SM400
<b>CAPACITY</b>	lt	100	200	300	450	700	900	1100	1350	1600
<b>ATTACHMENT WEIGHT</b>	kg	285 A	380 A	540 A	890 A	1240 A	1580 A	1980 A	3950 A	3960 A
		A.R.	A.R.	570 B	950 B	1325 B	1650 B	2180 B	3080 B	4360 B
<b>EXCAVATOR WEIGHT</b>	ton	3.5-5.5	5 - 8	7 - 11	12 - 16	16 - 22	19 - 27	24 - 35	32 - 48	44 - 63
<b>OPENING</b>	mm	1220	1400	1560	1845	2025	2180	2400	2540	2850
<b>FORCE</b>	ton	2	2,3	3,5	4.6	6.5	8	9	12	14



# CRE SERIES

HYDRAULIC SHEAR  
CESOIA IDRAULICA  
CISAILLE HYDRAULIQUE  
SCHROTTSCHEREN  
CIZALLA HIDRÁULICA



- ◆ BUILT IN HARDOX AND STRENX  
COSTRUITO IN HARDOX E STRENX
- ◆ REVERSIBLE BLADES  
LAME REVERSIBILI
- ◆ REINFORCED ROTATING MOTOR  
MOTORE DI ROTAZIONE RINFORZATO
- ◆ ADJUSTABLE SPEED ROTATION  
VELOCITÀ DI ROTAZIONE REGOLABILE

CRE series		CR50E	CR85E	CR120E	CR250E	CR330E
ATTACHMENT WEIGHT	kg	550	830	1260	2250	3400
EXCAVATOR WEIGHT (ARM)	ton	3 - 4	5 - 7	7 - 12	15 - 22	20 - 30
EXCAVATOR WEIGHT (BUCKET)	ton	5 - 8	8 - 12	12 - 16	18 - 28	28 - 38
A	mm	350	410	460	505	620
F3	ton	140	225	275	450	580
SPEED VALVE		OPT	OPT	OPT	YES	YES

CRE series		CR410E	CR520E	CR650E	CR800E	CR1000E
ATTACHMENT WEIGHT	kg	4400	5250	6500	8650	10000
EXCAVATOR WEIGHT (ARM)	ton	25 - 40	30 - 50	40 - 60	60 - 80	over 60
EXCAVATOR WEIGHT (BUCKET)	ton	33 - 45	38 - 55	50 - 70	70 - 110	over 90
A	mm	685	740	890	940	1075
F3	ton	690	795	950	1000	1250
SPEED VALVE		YES	YES	YES	YES	YES

# CRR SERIES

RAIL CUTTER  
SPACCABINARI  
CASSE RAIL  
SCHIENENKNACKER  
CORTADORA DE RIELES




- ◆ BUILT IN HARDOX AND STRENX  
COSTRUITO IN HARDOX E STRENX
- ◆ MOBILE JAW MADE IN HYTUF  
GANASCIA MOBILE IN HYTUF
- ◆ 360° HYDRAULIC ROTATION  
360° HYDRAULIC ROTATION
- ◆ TURNABLE BLADES  
LAME REVERSIBILI

CRR series		CRR 20
ATTACHMENT WEIGHT	kg	2900
EXCAVATOR WEIGHT	ton	20 - 35
OPENING	mm	220
FORCE	ton	690

# FK SERIES

ROTATING PULVERIZER WITH KIT  
FRANTUMATORE GIREVOLE CON KIT  
BROYEUR ROTATIF AVEC KIT  
MULTIPROZESSOREN  
MULTIPROCESADOR



- ◆ **BUILT IN HARDOX AND STRENX**  
COSTRUITO IN HARDOX E STRENX
- ◆ **MULTI PURPOSE WITH INTERCHANGEABLE JAWS**  
CHELE INTERCAMBIABILI CON DIVERSE FINALITÀ
- ◆ **QUICK COUPLING SYSTEM**  
SISTEMA DI AGGANCIO RAPIDO
- ◆ **INTERCHANGEABLE TEETH**  
DENTI INTERCAMBIABILI

FK series		FK 10	FK 16	FK 22	FK 30	FK 40
<b>BODY WEIGHT</b>	kg	870	1200	1350	1900	2250
<b>EXCAVATOR WEIGHT</b>	ton	10 - 17	17 - 24	23 - 35	32 - 44	45 - 55
<b>SPEED VALVE</b>		OPT	OPT	YES	YES	YES



FH kit		FH 10	FH 16	FH 22	FH 30	FH 40
<b>KIT WIEGHT</b>	kg	615	800	1180	1490	1720
<b>TOTAL WEIGHT</b>	kg	1485	2000	2530	3390	3970
<b>OPENING</b>	mm	550	670	750	900	1020



CC kit		CC 10	CC 16	CC 22	CC 30	CC 40
<b>KIT WIEGHT</b>	kg	725	900	1135	1490	2000
<b>TOTAL WEIGHT</b>	kg	1600	2100	2485	3390	4250
<b>OPENING</b>	mm	510	670	760	870	980



CR kit		CR 10	CR 16	CR 22	CR 30	CR 40
<b>KIT WIEGHT</b>	kg	665	850	1020	1490	1850
<b>TOTAL WEIGHT</b>	kg	1535	2050	2370	3390	4100
<b>OPENING</b>	mm	320	380	420	520	575



# MD SERIES

MULTI KIT PULVERIZER  
DEMOLITORE MULTI KIT  
PINCE MULTI KIT  
MULTIPROZESSOREN  
MULTIPROCESADOR



- ◆ **BUILT IN HARDOX AND STRENX**  
COSTRUITO IN HARDOX E STRENX
- ◆ **MULTI PURPOSE WITH INTERCHANGEABLE JAWS**  
CHELE INTERCAMBIABILI CON DIVERSE FINALITÀ
- ◆ **FULLY PROTECTED HYDRAULIC COMPONENTS**  
IDRAULICA COMPLETAMENTE PROTETTA
- ◆ **SPEED VALVE**  
VALVOLA DI VELOCITÀ

MD series		MD16	MD22	MD28	MD35
<b>BODY WEIGHT</b>	kg	980	1590	1950	2350
<b>EXCAVATOR WEIGHT</b>	ton	15 / 20	21 / 27	28 / 40	35 / 50
<b>SPEED VALVE</b>		YES	YES	YES	YES



CD kit		CD16	CD22	CD28	CD35
<b>KIT WEIGHT</b>	kg	640	700	1050	1230
<b>TOTAL WEIGHT</b>	kg	1620	2290	3000	3580
<b>OPENING</b>	mm	600	750	840	980



CF kit		CF16	CF22	CF28	CF35
<b>KIT WEIGHT</b>	kg	560	780	920	1120
<b>TOTAL WEIGHT</b>	kg	1540	2370	2870	3470
<b>OPENING</b>	mm	600	710	840	920



CR kit		CR16	CR22	CR28	CR35
<b>KIT WEIGHT</b>	kg	570	660	940	1140
<b>TOTAL WEIGHT</b>	kg	1550	2250	2890	3490
<b>OPENING</b>	mm	380	420	470	520



CC kit		CC16	CC22	CC28	CC35
<b>KIT WEIGHT</b>	kg	540	700	900	1100
<b>TOTAL WEIGHT</b>	kg	1520	2290	2850	3450
<b>OPENING</b>	mm	710	800	880	980

# PE SERIES

POLYP-GRAB  
 POLIPO PER ROTTAMI  
 GRAPPIN À FERRAILLE  
 SCHIENENKNACKER  
 PULPOS PARA CHATARRA



- ◆ TIPS AND TINES IN HARDOX  
PUNTE E PALE IN HARDOX
- ◆ CYLINDERS WITH BRAKE  
CILINDRI CON FRENO DI SERIE
- ◆ RECESSED INDEXATOR OR GR ROTATOR  
ROTATORE INDEXATOR O GR INCASSATO
- ◆ ONE PIECE DISTRIBUTION BLOCK  
BLOCCO DI DISTRIBUZIONE A PEZZO UNICO

A-TYPE



B-TYPE



C-TYPE



IR ROTATOR GR ROTATOR



PE series		PE 500	PE 600	PE 700	PE 850
<b>CAPACITY</b>	m <sup>3</sup>	0,5	0,6	0,7	0,85
<b>TINES</b>	nr	4 - 5 - 6	4 - 5 - 6	4 - 5 - 6	4 - 5 - 6
<b>ATTACHMENT WEIGHT</b>	kg	1075-1210-1310	1090-1240-1400	1220-1360-1500	1640-1750-1980
<b>EXCAVATOR WEIGHT</b>	ton	18 - 22	20 - 28	22 - 30	22 - 30
<b>OPENING</b>	mm	1500	1535	1615	1680

# BBC SERIES

LOADING CLAMSHELL BUCKETS  
 BENNA BIVALVE DA CARICO  
 BENNE PRENEUSE  
 ZWEISCHALENGRIFER  
 BIVALVAS



- ◆ HORIZONTAL CYLINDER TO REDUCE OVERALL HEIGHT  
CILINDRI ORRIZZONTALI PER RIDURRE L'ALTEZZA COMPLESSIVA
- ◆ FULLY PROTECTED HYDRAULIC COMPONENTS  
COMPONENTI IDRAULICHE COMPLETAMENTE PROTETTI
- ◆ 360° INDEXATOR OR GR ROTATOR  
ROTATORE INDEXATOR O GR A 360°
- ◆ HIGH CLAMPING FORCE  
ELEVATA FORZA DI SERRAGGIO



GV ROTATOR IR ROTATOR GR ROTATOR



BBC series		BBC 48 300	BBC 48 400	BBC 48 500	BBC 53 330	BBC 53 600	BBC 53 800
<b>CAPACITY</b>	m <sup>3</sup>	0,3	0,4	0,5	0,32	0,56	0,8
<b>ATTACHMENT WEIGHT</b>	kg	340	450	480	610	800	850
<b>EXCAVATOR WEIGHT</b>	ton	6 - 12	6 - 12	6 - 12	12 - 20	12 - 20	12 - 20
<b>OPENING</b>	mm	1200	1200	1200	1520	1520	1520

BBC series		BBC 53 1000	BBC 63 1300	BBC 63 1600	BBC 63 1800	BBC 70 2200	BBC 70 2500
<b>CAPACITY</b>	m <sup>3</sup>	1	1,3	1,6	1,8	2,2	2,5
<b>ATTACHMENT WEIGHT</b>	kg	1130	1530	1600	1650	1900	2360
<b>EXCAVATOR WEIGHT</b>	ton	12 - 20	18 - 26	18 - 26	18 - 26	22 - 28	26 - 34
<b>OPENING</b>	mm	1520	1840	1840	1840	2100	2100

# PWE SERIES

DE-FORESTATION SHEAR  
PINZA DA DEFORESTAZIONE  
TETE D'ABATTAGE  
BAUMSCHEREN  
PINZA FORESTAL

- ◆ **LOW WEAR AND MAINTENANCE**  
MINIMA USURA E BASSA MANUTENZIONE
- ◆ **HEAVY DUTY FRAME (HD)**  
TELAIO RINFORZATO (HD)
- ◆ **EASY AND STRONG BLADE FIXING SYSTEM**  
SISTEMA FISSAGGIO LAMA SEMPLICE E RESISTENTE
- ◆ **HARDENED PINS AND BUSHINGS WITH SPIROL**  
PERNI TEMPRATI E BOCCOLE RAGNATE



HYDRAMEC 360°  
rotazione a ingranaggi con doppio motore

**HARDOX**  
IN MY BODY  
Taking quality to the next level

**STRENX**  
MY INNER - A sign of excellent performance

PWE series		PW-250E	PW-350E	PW-450E	PW-550E
<b>ATTACHMENT WEIGHT (min/max)</b>	Kg	690 / 885	1160 / 1620	1810 / 2450	2510 / 2935
<b>EXCAVATOR WEIGHT</b>	ton.	08 - 15	14 - 24	22 - 30	28 - 35
<b>Ø MAX SOFT WOOD</b>	mm	300	400	500	600
<b>Ø MAX HARD WOOD</b>	mm	250	350	450	550



# CWE SERIES

DE-FORESTATION SHEAR  
PINZA DA DEFORESTAZIONE  
TETE D'ABATTAGE  
BAUMSCHEREN  
PINZA FORESTAL

**HARDOX**  
IN MY BODY  
Taking quality to the next level

**STRENX**  
MY INNER - A sign of excellent performance



CWE series		CW-250E
<b>ATTACHMENT WEIGHT</b>	kg	255
<b>EXCAVATOR WEIGHT</b>	ton.	5 - 11
<b>Ø MAX SOFT WOOD</b>	mm	250
<b>Ø MAX HARD WOOD</b>	mm	180
<b>OPENING</b>	mm	900
<b>COLLECTOR ARM WEIGHT</b>	kg	72
<b>ROTATION KIT WEIGHT</b>	kg	48
<b>FELLING SUPPORT WEIGHT</b>	kg	14


I dati tecnici possono subire modifiche senza obbligo di preavviso e senza che ciò comporti responsabilità alcuna da parte di CMB SRL. The technical data may be changed without prior notice and without this implying any responsibility on the part of CMB SRL. Les données techniques peuvent être modifiées sans préavis et sans que cela engage la responsabilité de CMB SRL. Los datos técnicos pueden modificarse sin previo aviso y sin que esto implique ninguna responsabilidad por parte de CMB SRL.

# SR SERIES

FOREST SORTING GRAPPLE  
 PINZA SELEZIONATRICE FORESTALE  
 PINCE DE TRI FORESTIER  
 FORST SORTIERGREIFER  
 PINZA CARGA-TRONCOS MULTIFUNCIONALES

**HARDOX**  
 IN MY BODY  
 Taking quality to the next level

**MY INNER + STRENX**  
 A sign of excellent performance



- ◆ **BUILT IN HARDOX AND STRENX**  
 COSTRUITO IN HARDOX E STRENX
- ◆ **HIGH CLAMPING FORCE**  
 ELEVATA FORZA DI SERRAGGIO
- ◆ **FULLY PROTECTED HYDRAULIC COMPONENTS**  
 COMPONENTI IDRAULICI COMPLETAMENTE PROTETTI
- ◆ **INTERNAL GRIP**  
 GRIP INTERNO

SR series		SR80	SR130	SR150
<b>ATTACHMENT WEIGHT (with rotator)</b>	kg	830	1310	1540
<b>ATTACHMENT WEIGHT (no rotator)</b>	kg	610	1120	1320
<b>EXCAVATOR WEIGHT</b>	ton	10-15	13-22	18-30
<b>Ø MIN</b>	mm	80	100	120
<b>OPENING</b>	mm	1220	1350	2000



# PT SERIES

LOG GRAB  
 PINZA FORESTALE  
 GRAPPIN À BOIS  
 HOLZGREIFER  
 PINZA CARGA TRONCOS

**HARDOX**  
 IN MY BODY  
 Taking quality to the next level

**MY INNER + STRENX**  
 A sign of excellent performance



PT series		PT 018	PT 025	PT 032	PT 042	PT 062	PT 082	PT 130
<b>CAPACITY</b>	m <sup>2</sup>	0,2	0,27	0,4	0,45	0,6	0,8	1,4
<b>ATTACHMENT WEIGHT</b>	kg	110	200	270	400	860	1180	2200
<b>EXCAVATOR WEIGHT</b>	ton	3 - 5	4 - 7	7 - 10	10 - 14	14 - 18	18 - 22	22 - 30
<b>OPENING</b>	mm	1070	1525	1740	1995	2470	2710	3500

I dati tecnici possono subire modifiche senza obbligo di preavviso e senza che ciò comporti responsabilità alcuna da parte di CMB SRL. The technical data may be changed without prior notice and without this implying any responsibility on the part of CMB SRL. Les données techniques peuvent être modifiées sans préavis et sans que cela engage la responsabilité de CMB SRL. Los datos técnicos pueden modificarse sin previo aviso y sin que esto implique ninguna responsabilidad por parte de CMB SRL.

# SW SERIES

WOOD SPLITTER  
PINZA SPACCA TRONCHI  
PINCE FENDEUSE  
HOLZSPALTER  
PARTIDOR DE TRONCOS



- ◆ **FRAME IN HARDOX AND STRENX**  
STRUTTURA IN HARDOX E STRENX
- ◆ **HEAVY DUTY ROTATION**  
ROTAZIONE HD DI SERIE
- ◆ **LOW WEAR AND MAINTENANCE**  
MINIMA USURA E BASSA MANUTENZIONE
- ◆ **HARDNED PINS AND BUSHINGS WITH SPIROIL**  
PERNI TEMPRATI E BOCCOLE RAGNATE

SW series		SW - 400	SW - 600	SW - 800	SW - 1000	SW - 1200
<b>ATTACHMENT WEIGHT</b>	kg	265	500	825	1450	2650
<b>EXCAVATOR WEIGHT</b>	ton	3 - 5	5 - 8	8 - 14	14 - 21	21 - 30
<b>Ø MAX SOFT WOOD</b>	mm	500	700	900	1200	1400
<b>Ø MAX HARD WOOD</b>	mm	400	600	800	1000	1200
<b>OPENING</b>	mm	605	800	1000	1200	1850

# WR SERIES

STUMP SHEAR  
PINZA STRAPPA CEPPI  
CROQUE SOUCHE  
WURZELSCHEREN  
PARTIDOR DE TRONCOS



- ◆ **FRAME IN HARDOX AND STRENX**  
STRUTTURA IN HARDOX E STRENX
- ◆ **LOW WEAR AND MAINTENANCE**  
MINIMA USURA E BASSA MANUTENZIONE
- ◆ **FIXED JAW INTERNAL GRIP**  
GRIP INTERNO NELLA GANASCIA FISSA

WR series		WR 100	WR 200
<b>ATTACHMENT WEIGHT</b>	kg	1155	2150
<b>EXCAVATOR WEIGHT</b>	ton	13 - 20	20 - 35
<b>OPENING</b>	mm	1020	1450
<b>FORCE</b>	ton.	192	230



**cohidrex**  
GLOBAL PARTS

[www.cohidrex.com](http://www.cohidrex.com)



☎ +34 650 960 957

✉ [export@cohidrex.es](mailto:export@cohidrex.es)

#### MADRID

Pol. Ind. La Raya • C/ Guadalquivir, 2  
E28816 Camarma de Esteruelas

Madrid (Spain)

☎ +34 91 802 12 91

#### CÁCERES

Pol. Industrial Las Capellanías  
C/ Alpargateros, 1

E10005 Cáceres (Spain)

☎ +34 927 230 834

#### LA CORUÑA

LT51 Workspace • Oficina 1A  
La Telva 2 C, Pt. 1

E15660 Cambre • La Coruña (Spain)

☎ +34 666 572 640